ESD 105

Youth Telephone Survey Ages 10-17 Year 2000-01

Year 2000-0	I	
Youth Characteristics by ESD:	ESD % [95% C.I.] n = 125	State % [95% C.I.] n = 1977
Condon		
Gender Female	54.6 % [44.1,64.6]	49.6 % [46.8,52.4]
Male	45.4 % [35.4,55.9]	50.4 % [47.6,53.2]
Wale	40.4 70 [00.4 , 00.0]	30.4 70 [47.0,33.2]
Grade		
4th - 8th	62.3 % [52.2 , 71.5]	54.6 % [51.8,57.4]
9th - 12th	37.7 % [28.5 , 47.8]	45.4 % [42.6,48.2]
	*	* * * * * * * * * *
Average weekly spending money	\$17.54 [13.3,21.8]	\$17.24 [16.0,18.5]
	ESD %	State %
Youth Survey Responses by ESD:	[95% C.I.]	[95% C.I.]
Current Tobacco Use (Any type) Current User	E 7 0/ 1 0 0 44 E 1	700/100001
Non-tobacco User	5.7 % [2.8,11.5]	7.6 % [6.3,9.2]
Non-tobacco Oser	94.3 % [88.5,97.2]	92.4 % [90.8,93.7]
Lifetime Cigarette Smoking (Ever smoked at least		
one cigarette)		
Yes	27.6 % [19.6 , 37.5]	23.5 % [21.3,25.9]
No	72.4 % [62.5,80.4]	76.5 % [74.1,78.7]
During the goat 7 days days that as we are an alread		
During the past 7 days, days that someone smoked inside your home		
Some days or Every day	16.2 % [10.6 , 24.0]	18.4 % [16.4 , 20.7]
None	83.8 % [76.0,89.4]	81.6 % [79.3,83.6]
Hono	00.0 70 [70.0,00.4]	01.0 70 [70.0,00.0]
Influences against tobacco use: Parents		
A lot or Some	78.0 % [69.1,84.9]	76.2 % [73.7,78.5]
Little or None	22.0 % [15.1 , 30.9]	23.8 % [21.5 , 26.3]
Influences against tobasse user. Avoid future		
Influences against tobacco use: Avoid future health problems		
A lot or Some	85.5 % [76.9,91.3]	87.4 % [85.3,89.2]
Little or None	14.5 % [8.7,23.1]	12.6 % [10.8 , 14.7]
	, - 1	
Influences against tobacco use: Getting caught/		
going to court		
A lot or Some	67.3 % [55.3,77.3]	62.6 % [59.1,66.0]
Little or None	32.7 % [22.7,44.7]	37.4 % [34.0 , 40.9]

	ESD % [95% C.I.]	State % [95% C.I.]
Influences against tobacco use: Anti-tobacco clubs/ groups		
A lot or Some	35.0 % [24.2,47.6]	37.5 % [33.9 , 41.3]
Little or None	65.0 % [52.4,75.8]	62.5 % [58.7,66.1]
Influences against tobacco use: Tobacco is expensive	20.6.0/ [20.6.40.7]	20.2.0/ 120.0.22.71
A lot or Some Little or None	30.6 % [20.6 ,42.7] 69.4 % [57.3 ,79.4]	30.2 % [26.9,33.7] 69.8 % [66.3,73.1]
Influences against tobacco use: Don't want to be addicted		
A lot or Some	80.6 % [71.6,87.2]	80.6 % [78.2,82.7]
Little or None	19.4 % [12.8 , 28.4]	19.4 % [17.3 , 21.8]
Influences against tobacco use: Setting a bad example for younger kids (Among high school aged youth)		
A lot or Some	76.1 % [62.3,85.9]	69.9 % [66.2 , 73.3]
Little or None	23.9 % [14.1 , 37.7]	30.1 % [26.7 , 33.8]
Influences against tobacco use: Friends think tobacco use is "uncool"		
A lot or Some	68.3 % [58.3,76.8]	61.3 % [58.5 , 64.0]
Little or None	31.7 % [23.2 , 41.7]	38.7 % [36.0 , 41.5]
Influences against tobacco use: Worried about current health		
A lot or Some	85.3 % [76.7,91.1]	80.0 % [77.7,82.2]
Little or None	14.7 % [8.9,23.3]	20.0 % [17.8 , 22.3]
Influences against tobacco use: Don't want to support tobacco industries		
A lot or Some	77.4 % [68.2,84.5]	71.0 % [68.4 , 73.6]
Little or None	22.6 % [15.5,31.8]	29.0 % [26.4 , 31.6]
Influences against tobacco use: Don't want to expose others to secondhand smoke		
A lot or Some	72.8 % [60.4,82.4]	66.3 % [62.7,69.7]
Little or None	27.2 % [17.6 , 39.6]	33.7 % [30.3 , 37.3]
"If one of your best friends offered you a cigarette, would you smoke it?" (Youth responding any way except "definitely not" are considered vulnerable)		
Possibly	17.8 % [8.2,34.2]	19.6 % [16.5 , 23.0]
Definitely not	82.2 % [65.8,91.8]	80.4 % [77.0,83.5]
"Do you think teens who smoke are"		
Somewhat or Very popular	27.4 % [18.1,39.3]	35.6 % [32.0 , 39.4]
Somewhat or Very unpopular	72.6 % [60.7 , 81.9]	64.4 % [60.6,68.0]

	ESD % [95% C.I.]	State % [95% C.I.]
"How risky do you think it is for someone your age to use tobacco?"		
Very risky Somewhat, Not very, or Not at all	82.3 % [69.5 , 90.5] 17.7 % [9.5 , 30.5]	79.9 % [76.9,82.6] 20.1 % [17.4,23.1]
·	17.7 % [9.5,50.5]	20.1 /6 [17.4 , 25.1]
"How harmful do you think it is for someone your age to smoke 1 to 5 cigarettes per day?"		
Very harmful Somewhat, Not very, or Not at all	88.1 % [80.6,93.0] 11.9 % [7.0,19.4]	81.0 % [78.6,83.1] 19.0 % [16.9,21.4]
•	11.9 /0 [7.0 , 19.4]	19.0 % [10.9 ,21.4]
"There are so many things that cause cancer, tobacco use is not going to make a any difference."		
Somewhat or Strongly agree Somewhat or Strongly disagree	27.8 % [18.9 , 38.9] 72.2 % [61.1 , 81.1]	16.2 % [14.3 , 18.5] 83.8 % [81.5 , 85.7]
	/ / / /	
"In general, what percentage of people your age smoke cigarettes, in your opinion?"	30.8 % [25.5,36.2]	31.7 % [30.2 , 33.2]
"In general, what percentage of people your age use		
smokeless tobacco, in your opinion?"	18.9 % [13.1,24.7]	15.0 % [13.9,16.1]
"Tobacco companies should have the same rights to		
advertise their products as other companies." Probably or Definitely Agree	33.3 % [23.9,44.2]	29.1 % [26.7 , 31.8]
Probably or Definitely Disagree	66.7 % [55.8,76.1]	70.9 % [68.2,73.3]
"How likely would you be to wear something that has a tobacco company logo or picture on it?"		
Somewhat or Very likely	3.8 % [1.4,9.8]	7.0 % [5.6 , 8.6]
Somewhat or Very unlikely	96.2 % [90.2 , 98.6]	93.0 % [91.4,94.4]
"How likely would you be to wear something that has an ANTI-tobacco message/logo on it, like a hat or t-shirt?"		
Somewhat or Very likely Somewhat or Very unlikely	55.5 % [44.9,65.6] 44.5 % [34.4,55.1]	54.8 % [52.0,57.6] 45.2 % [42.4,48.0]
·	44.0 /0 [34.4 , 33.1]	45.2 /0 [42.4,46.0]
"Are there places near your school where people your age get together and smoke?"		
Yes No	29.7 % [20.2,41.3] 70.3 % [58.7,79.8]	49.8 % [46.0,53.6] 50.2 % [46.4,54.0]
	. 5.5 % [55.7 , 15.5]	33.2 /3 [13.1 , 3 1.0]
"During the last school year did you practice ways to say 'No' to tobacco, for example, in role playing?"		
Yes No	65.9 % [53.7,76.2] 34.1 % [23.8,46.3]	54.6 % [50.9,58.3] 45.4 % [41.7,49.1]
	, 1	. ,

	ESD % [95% C.I.]	State % [95% C.I.]
"During the last school year, how many times did you receive information in classes about the health hazards and dangers of tobacco use?"		
Once or None	15.6 % [9.0,25.6]	27.2 % [24.1,30.6]
2-3 times 4 or more times	23.1 % [14.6,34.7] 61.3 % [49.0,72.2]	27.1 % [23.7,30.7] 45.7 % [42.0,49.4]
"Did this tobacco education you received during the last year make you think about whether or not you should	01.0 % [10.0,72.2]	10.1 70 [12.0 , 10.1]
smoke or use chewing tobacco?" (Among youth who had 1+ days of education)		
Definitely yes	79.2 % [66.9,87.8]	76.7 % [73.2,79.9]
Probably or Definitely no	20.8 % [12.2,33.1]	23.3 % [20.1 , 26.8]
"During the past school year, did you participate in any activities to encourage other youths to say 'No' to tobacco – for example through youth groups, health fairs, or presentations to younger children?"		
Yes	26.5 % [14.8 , 42.8]	23.3 % [19.3 , 28.0]
No	73.5 % [57.2,85.2]	76.7 % [72.0,80.7]
"Have either of your parents or guardians talked to you about tobacco use?"		
Yes	91.4 % [84.2,95.5]	84.6 % [82.4,86.6]
No	8.6 % [4.5,15.8]	15.4 % [13.4 , 17.6]
"Have your parents specifically told you that they do not want you to use tobacco?"		
Yes	89.5 % [44.1,64.6]	83.7 % [46.8,52.4]
No	10.5 % [35.4,55.9]	16.3 % [47.6,53.2]
"During the past 30 days, how often did you see commercials on TV about the dangers of tobacco use or about not smoking?"		
At least once per week	75.3 % [65.5,83.0]	81.2 % [79.0,83.3]
Less than once per week	24.7 % [17.0 , 34.5]	18.8 % [16.7 , 21.0]
"Have any of the advertisements you've seen made you think about whether or not you should use tobacco?"		
Yes	72.9 % [63.1,80.9]	68.4 % [65.6,71.0]
No	27.1 % [19.1,36.9]	31.6 % [29.0,34.4]